

Theme	Indicator	Birkenhead A					Birkenhead B					South Wirral A				South Wirral B				Wallasey A				Wallasey B				Wallasey C					West Wirral A					West Wirral B					
		Bidston Hill	Birkenhead Central	Cloughton North	Cloughton South & Oxton North	Noctorum North & Upton East	Birkenhead South	Egerton Park	Noctorum South	Oxton South	Prenton	Tranmere	Bebington New Ferry	Higher Bebington	Lower Bebington & Bromborough Pool	Woodhey	Bromborough North	Bromborough South	Eastham	Poulton, Raby Mere & Thornton Hough	Leasowe	Leasowe South & Moreton East	Moreton West	Saughall Massie	New Brighton	Wallasey Central	Wallasey East	Wallasey Village	Egremont	Liscard	Poulton	Seacombe	Great Meols	Cady & Newton	Greasby	Hoylake	West Kirby	Gayton & Lower Heswall	Heswall	Pensby & Thingwall	Thurstaston & Irby	Upton West	Woodchurch
High Level H&W Strategy Outcomes	Life Expectancy at Birth (Males)	71	70	80	77	77	74	79	80	77	81	71	76	78	77	82	81	82	78	82	80	77	78	82	79	81	77	80	75	78	73	72	83	82	83	79	82	84	81	83	82	80	73
	Life Expectancy at Birth (Females)	77	76	82	80	79	80	81	87	82	84	76	79	84	80	84	81	87	83	84	84	80	80	84	83	85	79	87	80	81	79	77	86	87	86	81	84	87	82	87	86	82	79
	Healthy Life Expectancy (HLE) at Birth (Males)	48	48	64	62	66	53	60	58	59	65	50	55	65	61	65	62	71	63	68	64	54	59	66	59	66	58	65	55	60	53	50	68	70	69	66	64	73	66	66	69	64	54
	Healthy Life Expectancy (HLE) at Birth (Females)	50	52	64	64	58	56	61	68	64	67	52	57	68	63	70	64	72	64	69	64	55	60	66	62	69	61	66	57	61	56	53	69	73	71	67	67	75	68	68	70	64	55
	% of Life Spent in Good Health (Males)	67.6%	68.6%	80.0%	80.5%	85.7%	71.6%	75.9%	72.5%	76.6%	80.2%	70.4%	72.4%	83.3%	79.2%	79.3%	76.5%	86.6%	80.8%	82.9%	80.0%	70.1%	75.6%	80.5%	74.7%	81.5%	75.3%	81.3%	73.3%	76.9%	72.6%	69.4%	81.9%	85.4%	83.1%	83.5%	78.0%	86.9%	81.5%	79.5%	84.1%	80.0%	74.0%
	% of Life Spent in Good Health (Females)	64.9%	68.4%	78.0%	80.0%	73.4%	70.0%	75.3%	78.2%	78.0%	79.8%	68.4%	72.2%	81.0%	78.8%	83.3%	79.0%	82.8%	77.1%	82.1%	76.2%	68.8%	75.0%	78.6%	74.7%	81.2%	77.2%	75.9%	71.3%	75.3%	70.9%	68.8%	80.2%	83.9%	82.6%	82.7%	79.8%	86.2%	82.9%	78.2%	81.4%	78.0%	69.6%
Population	Age 65+ (%)	12.5%	14.0%	22.5%	28.5%	16.7%	11.1%	19.0%	22.2%	16.9%	23.6%	14.4%	16.4%	20.7%	20.2%	20.4%	22.8%	28.9%	20.8%	34.1%	18.0%	17.5%	24.1%	25.8%	24.6%	22.2%	17.9%	24.9%	16.5%	20.1%	12.4%	12.9%	23.5%	30.4%	31.6%	25.7%	27.1%	34.3%	30.2%	27.6%	30.5%	26.8%	18.5%
	Age <25 (%)	38.6%	31.4%	26.3%	20.0%	35.7%	37.2%	31.2%	28.3%	30.0%	28.5%	34.6%	31.5%	28.2%	28.7%	29.2%	27.7%	25.3%	28.7%	22.3%	30.9%	34.5%	28.4%	25.0%	23.8%	27.5%	29.3%	25.5%	33.6%	29.4%	36.0%	37.5%	26.5%	24.9%	22.2%	25.3%	26.3%	23.2%	24.2%	25.2%	24.0%	27.3%	32.3%
	Non-White British People (%)	8.4%	16.9%	9.0%	11.0%	6.1%	17.1%	7.1%	7.2%	8.5%	7.7%	13.4%	8.3%	6.4%	7.5%	6.5%	5.8%	4.2%	4.7%	5.6%	6.2%	6.6%	5.9%	4.5%	8.3%	4.5%	6.8%	6.0%	7.7%	6.2%	9.4%	10.1%	5.4%	8.2%	4.8%	7.4%	8.4%	6.5%	6.5%	5.5%	4.4%	6.8%	5.4%
	Indices of Multiple Deprivation Score	69.4	75.8	26.7	28.8	41.8	58.9	32.7	16.1	35.2	23.9	62.3	46.6	14.7	21.5	16.9	23.7	7.2	24.4	9.0	29.0	51.6	34.8	15.0	32.8	17.1	35.0	16.7	52.2	30.7	56.2	67.6	12.2	7.6	8.7	14.2	17.2	4.3	13.5	13.5	11.3	19.1	47.8
Ensure the best start in life for children and young people	Children (under 16) in absolute low income (%)	23.7%	23.8%	10.5%	7.8%	12.2%	20.3%	11.1%	8.8%	11.6%	10.8%	19.8%	12.7%	6.8%	7.7%	7.2%	14.1%	6.0%	9.5%	2.6%	10.2%	18.5%	10.8%	10.4%	12.8%	9.4%	12.1%	8.7%	15.5%	13.2%	17.8%	21.1%	6.9%	5.6%	6.0%	6.1%	7.4%	3.6%	4.6%	7.9%	5.7%	8.2%	13.9%
	Children (under 16) in relative low income (%)	32.5%	31.9%	13.4%	9.9%	16.7%	27.5%	15.6%	10.9%	16.9%	14.5%	26.8%	17.7%	7.9%	10.8%	9.2%	17.4%	6.2%	12.4%	3.4%	12.4%	22.7%	14.6%	13.7%	16.5%	13.6%	16.2%	10.9%	21.2%	16.3%	24.2%	28.8%	7.6%	5.6%	6.5%	7.2%	7.8%	3.6%	7.5%	9.7%	9.2%	10.3%	19.2%
	School readiness - good level of development at 2-2.5 yrs (%)	51.7	37.2	61.7	60.8	55.6	52.2	67.4	69.1	68.4	68.7	57.5	65.5	81.6	75.7	64.3	59.5	71.9	63.8	79.2	67.3	49.9	52.2	53.5	61.1	70.2	72.0	78.8	51.4	65.2	53.1	45.4	78.2	69.0	68.0	79.3	62.1	81.7	67.0	72.4	74.6	56.9	63.2
	Average Attainment 8 Score	21.9	19.5	32.0	32.2	25.2	25.8	30.3	31.2	28.4	41.1	25.5	26.3	36.7	25.9	38.1	30.7	39.4	31.1	45.7	24.5	23.4	24.8	34.3	23.9	37.6	32.6	38.4	26.1	30.9	19.1	22.9	33.8	42.7	41.3	36.4	38.4	45.5	41.9	38.2	32.7	33.1	32.5
Strengthen health and care action to address differences in health outcomes	Emergency hospital admissions (rate)	468.0	581.1	389.9	480.1	496.5	443.1	451.0	394.5	384.2	483.4	507.9	425.4	321.1	387.3	329.9	402.8	312.5	368.7	346.6	363.9	498.3	460.6	357.8	393.6	318.5	412.3	347.9	427.3	367.4	460.9	453.0	327.3	319.9	358.2	382.7	357.7	296.9	419.6	349.9	372.8	374.8	496.5
	Hospital admissions mental/behavioural (per 100k)	713.5	1859.9	503.7	1101.8	697.8	1024.2	545.4	421.2	663.8	340.4	950.6	823.0	399.4	587.4	462.8	477.2	181.7	459.6	355.2	451.0	618.2	432.7	302.7	666.1	262.3	733.3	411.8	693.6	473.2	528.2	807.2	281.3	323.2	314.1	441.1	396.7	234.1	378.0	216.5	347.5	465.0	754.2
	Depression prevalence	23.9%	22.5%	21.2%	19.3%	19.8%	21.3%	21.4%	18.4%	19.2%	16.6%	23.2%	21.5%	16.2%	16.9%	17.8%	15.7%	15.9%	17.4%	13.4%	20.8%	21.3%	19.2%	16.9%	19.7%	17.3%	20.4%	16.8%	20.5%	19.3%	22.0%	21.3%	15.2%	13.1%	15.2%	13.5%	13.5%	12.2%	13.1%	13.9%	13.7%	14.9%	21.8%
	Cancer prevalence	3.2%	3.1%	3.3%	3.6%	3.5%	3.2%	3.5%	3.5%	3.4%	3.9%	3.3%	3.8%	4.0%	4.2%	3.7%	4.4%	4.3%	4.5%	4.6%	3.4%	3.7%	4.2%	4.2%	3.2%	3.3%	3.2%	3.6%	4.2%	4.6%	4.8%	4.7%	4.8%	5.1%	5.3%	5.4%	5.5%	4.3%	3.2%				
	Childhood obesity (Yr 6)	27.7%	28.3%	24.5%	12.5%	25.0%	29.3%	21.2%	17.3%	24.0%	15.2%	27.4%	23.7%	16.7%	19.3%	14.0%	21.1%	18.2%	19.4%	10.8%	22.9%	23.2%	24.4%	16.2%	21.1%	17.9%	23.3%	20.9%	21.4%	17.0%	25.8%	26.7%	12.5%	11.1%	11.1%	11.6%	10.0%	8.3%	15.2%	18.4%	17.1%	20.8%	29.8%
	Smoking (18+)	20.0%	23.1%	13.9%	14.2%	17.2%	22.1%	15.7%	12.1%	16.6%	10.5%	20.0%	18.3%	10.2%	13.6%	11.5%	14.3%	9.3%	13.8%	9.2%	14.6%	17.6%	14.7%	10.2%	16.4%	11.4%	16.9%	11.8%	18.4%	15.2%	21.1%	19.9%	9.9%	8.9%	9.3%	12.4%	12.1%	8.8%	11.0%	9.4%	9.2%	11.7%	18.9%
	Diabetes prevalence	7.9%	8.4%	7.3%	7.4%	7.8%	7.9%	7.8%	7.1%	7.3%	7.4%	8.2%	8.0%	6.9%	7.3%	7.0%	7.4%	6.7%	7.2%	6.6%	7.6%	8.3%	8.5%	7.7%	8.0%	7.2%	7.9%	7.4%	7.8%	7.6%	7.8%	7.9%	6.8%	6.4%	6.8%	6.5%	6.7%	6.3%	6.7%	6.8%	6.8%	8.2%	8.5%
	Cardiovascular disease prevalence	1.4%	1.0%	1.4%	1.1%	1.3%	1.1%	1.2%	1.3%	1.1%	1.2%	1.2%	1.2%	1.2%	1.3%	1.2%	1.3%	1.4%	1.5%	1.2%	1.1%	1.1%	1.2%	1.3%	1.2%	1.2%	1.2%	1.2%	1.2%	1.2%	1.3%	1.2%	1.1%	1.2%	1.6%	1.2%	1.2%	1.5%	1.6%	1.4%	1.4%	1.3%	1.2%
Limiting long-term illness	28.2%	33.0%	21.6%	25.8%	25.1%	27.6%	24.4%	18.3%	24.0%	19.1%	31.7%	26.2%	19.1%	20.4%	18.4%	22.6%	16.9%	21.2%	17.3%	23.2%	29.8%	25.6%	20.8%	27.6%	18.3%	25.6%	20.2%	28.2%	23.6%	28.1%	28.7%	18.3%	15.3%	18.6%	21.2%	20.2%	14.5%	20.5%	18.9%	19.9%	20.6%	27.5%	
COPD prevalence	3.3%	3.7%	2.9%	2.8%	2.8%	3.1%	3.0%	2.6%	2.8%	2.7%	3.5%	3.0%	2.1%	2.4%	2.3%	2.5%	2.3%	2.5%	2.0%	2.7%	3.1%	3.1%	2.6%	2.8%	2.5%	2.9%	2.6%	2.8%	2.7%	3.1%	2.9%	2.2%	1.9%	2.0%	1.8%	2.0%	1.7%	1.8%	1.9%	1.8%	2.4%	3.3%	
Wider determinants	Food vulnerability index score	347.9	345.3	239.4	365.6	218.4	266.3	160.6	96.2	168.8	195.7	306.4	296.2	220.3	310.3	86.1	161.5	120.5	173.1	339.6	161.8	254.6	244.7	117.2	210.1	80.9	247.7	128.3	230.1	174.7	209.0	251.7	81.3	177.3	126.3	233.9	302.4	172.0	244.3	150.3	131.9	259.8	308.6
	People living alone	35.5%	55.7%	31.6%	53.6%	29.8%	42.3%	34.7%	24.7%	39.2%	28.1%	41.9%	36.6%	27.4%	32.6%	27.6%	31.5%	27.4%	29.2%	26.8%	26.9%	36.8%	33.8%	29.9%	46.9%	25.8%	37.4%	35.5%	41.0%	34.2%	36.9%	39.8%	27.6%	26.3%	29.9%	35.8%	38.0%	24.8%	36.8%	29.1%	28.8%	34.1%	39.6%
	Unpaid carers	10.6%	9.9%	10.2%	9.2%	10.7%	10.0%	10.7%	10.6%	9.8%	10.9%	10.3%	10.0%	10.9%	9.4%	10.3%	11.0%	10.3%	11.2%	10.1%	11.5%	11.3%	11.6%	11.4%	11.3%	10.5%	10.2%	11.1%	11.0%	10.2%	10.4%	9.7%	11.0%	10.2%	11.2%	10.6%	9.9%	9.3%	10.1%	11.2%	10.8%	10.2%	9.6%
	ISA and UC Claimants (%)	7.3%	11.1%	3.3%	3.7%	4.1%	7.6%	4.2%	2.0%	4.5%	2.9%	6.9%	4.8%	2.0%	2.1%	2.2%	2.5%	1.2%	2.2%	0.9%	4.0%	5.9%	3.2%	2.2%	4.0%	2.4%	3.4%	2.3%	7.2%	3.8%	7.3%	8.8%	2.0%	1.2%	1.3%	1.9%	2.1%	1.0%	1.5%	1.4%	1.4%	2.3%	4.5%
	Economically Active (16+)	53.0%	48.3%	59.0%	53.1%	55.9%	56.1%	58.8%	61.7%	59.9%	58.4%	52.5%	56.5%	60.1%	62.2%	60.8%	57.8%	55.5%	60.4%	50.1%	59.9%	53.2%	54.4%	57.8%	54.0%	60.4%	57.5%	57.3%	54.0%	58.6%	56.9%	52.9%	59.7%	53.6%	52.3%	54.8%	54.7%	50.6%	52.4%	55.6%	53.9%	56.2%	54.4%
	Total annual household income (thousands)	£30.3	£26.0	£40.2	£37.8	£35.0	£29.7	£34.5	£44.5	£36.9	£43.1	£29.0	£35.2	£43.8	£40.0	£45.5	£37.3	£47.1	£39.2	£51.0	£40.8	£31.9	£35.2	£38.5	£36.9	£44.4	£35.8	£40.9	£33.3	£36.3	£31.1	£28.3	£48.3	£53.2	£45.2	£44.3	£40.2	£56.9	£40.7	£43.5	£4		

Theme	Indicator	Source
High Level H&W Strategy Outcomes	Life Expectancy at Birth (Males)	<a href="#">Local Insight</a>
	Life Expectancy at Birth (Females)	<a href="#">Local Insight</a>
	Healthy Life Expectancy (HLEx) at Birth (Males)	<a href="#">Local Insight</a>
	Healthy Life Expectancy (HLEx) at Birth (Females)	<a href="#">Local Insight</a>
	% of Life Spent in Good Health (Males)	Calculation of previous 2 indicators
Population	Age 65+ (%)	<a href="#">Local Insight</a>
	Age <25 (%)	<a href="#">Local Insight</a>
	Non-White British People (%)	<a href="#">Local Insight</a>
	Indices of Multiple Deprivation Score	<a href="#">Local Insight</a>
Ensure the best start in life for children and young people	Children (under 16) in absolute low income (%)	<a href="#">Local Insight</a>
	Children (under 16) in relative low income (%)	<a href="#">Local Insight</a>
	School readiness - good level of development at 2-2.5 yrs (%)	<a href="#">Local Insight</a>
	Average Attainment 8 Score	<a href="#">Local Insight</a>

